

2.4 Aislamiento

2.4.1 Armaflex AC

Coquilla 2 mts Armaflex AC 6 mm espesor

Modelo	PVP / ml	Ø Exterior tubo mm	Tubo Cobre	Tubo Hierro	Mts. Cartón
AC 6X06	0,48	6	1/4"	-	496
AC 6X10	0,52	10	3/8"	1/8"	364
AC 6X12	0,59	12	1/2"	-	316
AC 6X15	0,64	15	5/8"	1/4"	266
AC 6X18	0,75	18	3/4"	3/8"	210
AC 6X22	0,93	22	7/8"	1/2"	166
AC 6X28	1,13	25	1 1/8"	3/4"	112

Coquilla 2 mts Armaflex AC 9 mm espesor

Modelo	PVP / ml	Ø Exterior tubo mm	Tubo Cobre	Tubo Hierro	Mts. Cartón
AC 9X06	0,64	6	1/4"	-	352
AC 9X10	0,71	10	3/8"	1/8"	266
AC 9X12	0,81	12	1/2"	-	234
AC 9X15	0,92	15	5/8"	1/4"	192
AC 9X18	1,08	18	3/4"	3/8"	166
AC 9X22	1,23	22	7/8"	1/2"	136
AC 9X28	1,52	28	1 1/8"	3/4"	98
AC 9X35	2,09	35	1 3/8"	1"	76

Coquilla en rollo Armaflex AC 6 mm espesor

Modelo	PVP / ml	Ø Exterior tubo mm	Tubo Cobre	Tubo Hierro	Mts. Cartón
AC-6x06 E	0,55	6	1/4"	-	95
AC-6x10 E	0,60	10	3/8"	1/8"	75
AC-6x12 E	0,68	12	1/2"	-	65
AC-6x15 E	0,74	15	5/8"	1/4"	55
AC-6x18 E	0,81	18	3/4"	3/8"	45
AC-6x22 E	0,95	22	7/8"	1/2"	40
AC-6x28 E	1,17	28	1 1/8"	3/4"	30
AC-9x06 E	0,69	6	1/4"	-	70
AC-9x10 E	0,78	10	3/8"	1/8"	50
AC-9x12 E	0,88	12	1/2"	-	45
AC-9x15 E	0,98	15	5/8"	1/4"	40
AC-9x18 E	1,13	18	3/4"	3/8"	38
AC-9x22 E	1,25	22	7/8"	1/2"	30
AC-9x28 E	1,53	28	1 1/8"	3/4"	26

Medidas del cartón: 600 x 600 x 220 mm.

Coquilla 2 mts Armaflex AC 19 mm espesor

Modelo	PVP / ml	Ø Exterior tubo mm	Tubo Cobre	Tubo Hierro	Mts. Cartón
AC 19X10	2,43	10	3/8"	1/8"	98
AC 19X12	2,78	12	1/2"	-	88
AC 19X15	3,12	15	5/8"	1/4"	78
AC 19X18	3,40	18	3/4"	3/8"	72
AC 19X22	3,73	22	7/8"	1/2"	64
AC 19X28	4,55	28	1 1/8"	3/4"	48
AC 19X35	5,08	35	1 3/8"	1"	36
AC 19X42	5,73	42	1 5/8"	1 1/4"	32
AC 19X48	6,64	-	-	1 1/2"	24
AC 19X54	7,18	54	2 1/8"	-	24
AC 19X60	7,90	-	-	2"	18
AC 19X64	8,79	64	2 5/8"	-	18
AC 19X76	9,66	76,1	-	2 1/2"	12
AC 19X89	11,06	88,9	3 1/2"	3"	12
AC 19X102	13,42	-	3 5/8"	3 1/2"	12
AC 19X114	15,73	114	4 1/2"	4"	12
AC 19X140	17,06	-	-	5"	8



Plancha en rollos Armaflex AC

Medida Rollo	Espesor	Estandar	PVP m ²	Autoadhesiva	PVP m ²
30 m x 1 m	3 mm.	AC 03X99/E*	10,72	AC 03X99/EA*	17,91
15 m x 1 m	6 mm.	AC 06X99/E*	11,65	AC 06X99/EA*	18,42
10 m x 1 m	9 mm.	AC 09X99/E	16,34	AC 09X99/E-A	19,79
8 m x 1 m	13 mm.	AC 13X99/E	20,49	AC 13X99/E-A	24,18
6 m x 1 m	19 mm.	AC 19X99/E	30,25	AC 19X99/E-A	36,48
4 m x 1 m	25 mm.	AC 25X99/E	34,81	AC 25X99/E-A	41,25
3 m x 1 m	32 mm.	AC 32X99/E	46,46	AC 32X99/E-A	53,07



Rollo cinta autoadhesiva Armaflex AC

Largo	Ancho	Espesor	Rollos/Cartón	PVP Rollo
15 m	50 mm.	3 mm.	12,00	20,65



2.4.2 Accesorios Armaflex

Descripción	Unidad	PVP/ud
Adhesivo 520 envase 0,25l	50 env.	3,94
Adhesivo 520 envase 1l	12 env.	12,44
Adhesivo 520 envase 5l	4 env.	55,34
Armafinish Blanco, Gris	6 env.	24,80
Pintura Color Armafinish Azul, Teja, verde, amarillo	6 env.	24,80
Disolvente Armafinish 1l	6 env.	12,83
Cuchillo Cortador Armaflex	1 unidad	18,75
Paquete hojas repuesto cuchillo	paquete	53,29



2.4.3 Armaflex IT

Ø Ext. tubo mm	Tubo Cobre	Tubo Hierro	Modelo	Mts. Cartón	PVP ml.	Modelo	Mts. Cartón	PVP ml.	Modelo	Mts. Cartón	PVP ml.	Modelo	Mts. Cartón	PVP ml.
6	1/4"	-	IT-06X06	496	0,66	IT-09X06	352	0,85						
10	3/8"	1/8"	IT-06X10	364	0,73	IT-09X10	266	0,94	IT-13X10	172	1,39	IT-20X10	98	3,19
12	1/2"		IT-06X12	316	0,81	IT-09X12	234	1,08	IT-13X12	162	1,53	IT-20X12	88	3,63
15	5/8"	1/4"	IT-06X15	266	0,90	IT-09X15	192	1,21	IT-13X15	136	1,69	IT-20X15	78	4,10
18	3/4"	3/8"	IT-06X18	210	1,04	IT-09X18	166	1,39	IT-13X18	118	1,88	IT-20X18	72	4,47
20	-	-				IT-09X20	150	1,50	IT-13X20	108	1,92	IT-20X20	68	4,55
22	7/8"	1/2"	IT-06X22	166	1,21	IT-09X22	136	1,53	IT-13X22	98	2,05	IT-20X22	64	4,91
25	1"		IT-06X25	140	1,32	IT-09X25	108	1,77	IT-13X25	80	2,52	IT-20X25	50	5,42
28	1 1/8"	3/4"	IT-06X28	112	1,46	IT-09X28	98	1,99	IT-13X28	78	2,68	IT-20X28	48	5,98
32	-	-				IT-09X32	86	2,37	IT-13X32	68	3,06	IT-20X32	40	6,09
35	1 3/8"	1"				IT-09X35	76	2,67	IT-13X35	58	3,23	IT-20X35	36	6,54
40	-	-				IT-09X40	66	2,69	IT-13X40	52	3,44	IT-19X40	34	7,00
42	1 5/8"	1 1/4"				IT-09X42	60	2,71	IT-13X42	48	3,62	IT-19X42	32	7,21
48	-	1 1/2"				IT-09X48	50	3,01	IT-13X48	40	3,87	IT-19X48	24	8,49
50	-	-				IT-09X50	48	3,25	IT-13X50	36	4,00	IT-19X50	24	8,71
54	2 1/8"	-				IT-09X54	46	3,46	IT-13X54	34	4,22	IT-19X54	24	9,16
60	-	2"				IT-09X60	36	3,90	IT-13X60	32	4,54	IT-19X60	18	10,10
64	2 5/8"	-				IT-09X64	34	4,22	IT-13X64	30	4,96	IT-19X64	18	11,10
76	3"	2 1/2"				IT-09X76	26	4,72	IT-13X76	22	5,95	IT-19X76	12	12,29
89	3 1/2"	3"				IT-09X89	20	5,60	IT-13X89	18	7,26	IT-19X89	12	13,85
102	-	3 1/2"							IT-13X102	16	9,17	IT-19X102	12	16,80
110	-	-							IT-13X110	14	9,90	IT-19X110	10	18,45
114	4 1/2"	4"				IT-09X114	20	8,32	IT-13X114	12	10,39	IT-19X114	12	19,35
140	-	5"				IT-09X140	16	10,08	IT-13X140	12	13,01	IT-19X140	8	21,21
160	-	-							IT-13X160	12	19,40	IT-19X160	8	26,94
168	-	6"										IT-19X168	8	28,54

Reglamento RITE Apéndice 03.1 Espesor nominal 20, 30 y 40 mm		
Modelo	Mts Cartón	PVP ml
IT-20X010	98	3,19
IT-20X012	88	3,63
IT-20X015	78	4,10
IT-20X018	72	4,47
IT-20X022	64	4,91
IT-20X025	50	5,42
IT-20X028	48	5,98
IT-20X035	36	6,54
IT-30X042	22	11,48
IT-30X048	18	12,43
IT-30X054	16	13,29
IT-30X060	12	14,05
IT-30X064	12	15,36
IT-30X076	10	16,58
IT-30X089	8	19,03
IT-40X102	8	28,61
IT-40X114	6	31,68
IT-40X140	4	33,41
IT-40X160	4	44,62
IT-40X168	4	46,84



Plancha en rollos Armaflex IT

Medida Rollo ancho 1 m	Espesor	m2	Modelo estandar	PVP m2
15 m x 1 m	6 mm.	15	IT-06-99/E	16,17
10 m x 1 m	10 mm.	10	IT-09-99/E	20,86
8 m x 1 m	13 mm.	8	IT-13-99/E	26,12
6 m x 1 m	19 mm.	6	IT-19-99/E	39,32
4 m x 1 m	25 mm.	4	IT-25-99/E	44,39
3 m x 1 m	32 mm.	3	IT-32-99/E	58,22
7 m x 1 m	40 mm.	7	IT-40-99/E	76,96

Medida Rollo ancho 1 m	Espesor	m2	Modelo autoadhesiva	PVP m2
10 m x 1 m	10 mm.	10	IT-09-99/EA	25,01
8 m x 1 m	13 mm.	8	IT-13-99/EA	31,13
6 m x 1 m	19 mm.	6	IT-19-99/EA	44,80



2.4.4 Armaflex AF

Cumple el Reglamento de Instalaciones Térmicas en los Edificios (RITE) Apéndice 03,1, para Aire Acondicionado con marca AENOR.

Ø Ext. tubo mm	Tubo Cobre	Tubo Hierro	Modelo	Mts. Cartón	PVP ml. Estandar	Modelo	Mts. Cartón	PVP ml. Estandar
6	1/4"	-	F-06	352	1,30			
10	3/8"	1/8"	F-10	266	1,43	H-10	172	2,08
12	1/2"		F-12	234	1,61	H-12	162	2,30
15	5/8"	1/4"	F-15	192	1,75	H-15	136	2,52
18	3/4"	3/8"	F-18	166	1,97	H-18	118	2,82
22	7/8"	1/2"	F-22	136	2,15	H-22	98	3,08
25	1"		F-25	108	2,26	H-25	80	3,40
28	1 1/8"	3/4"	F-28	98	2,56	H-28	78	4,03
35	1 3/8"	1"	F-35	76	3,32	H-35	58	4,85
42	1 5/8"	1 1/4"	F-42	60	4,07	H-42	48	5,43
48	-	1 1/2"	F-48	50	4,54	H-48	40	5,82
54	2 1/8"	-	F-54	46	5,09	H-54	34	6,34
60	-	2"	F-60	36	5,75	H-60	32	6,85
64	2 5/8"	-	F-64	34	6,23	H-64	30	7,43
76	3"	2 1/2"	F-76	26	6,57	H-76	22	8,54
89	3 1/2"	3"	F-89	20	7,81	H-89	18	10,71
102	-	3 1/2"				H-102	16	12,91
114	4 1/2"	4"	F-114	20	11,58	H-114	12	14,91
140	-	5"	AF-F-140	16	14,28	H-140	12	18,37
160	-	-				H-160	12	23,68



2.4.4 Armaflex AF

"R" Espesor Nominal
Creciente (ENC) 25,0-32,5 mm

"T" Espesor Nominal
Creciente (ENC) 32,0-45,0 mm

Ø Ext. tubo mm	Tubo Cobre	Tubo Hierro	mm			mm		
			Modelo	Mts. Cartón	PVP ml. Estandar	Modelo	Mts. Cartón	PVP ml. Estandar
10	3/8"	1/8"						
12	1/2"							
15	5/8"	1/4"						
18	3/4"	3/8"	R-18	50	7,61	AF-6-018	32	11,42
22	7/8"	1/2"	R-22	42	7,77	AF-6-022	32	12,21
25	1"							
28	1 1/8"	3/4"	R-28	40	9,30	AF-6-028	24	14,55
35	1 3/8"	1"	R-35	24	10,44	AF-6-035	22	16,06
42	1 5/8"	1 1/4"	R-42	22	11,84	AF-6-042	16	17,48
48	-	1 1/2"	R-48	18	12,91	AF-6-048	12	20,50
54	2 1/8"	-	R-54	16	14,77	AF-6-054	12	21,61
60	-	2"	R-60	12	16,09	AF-6-060	10	23,78
64	2 5/8"	-	R-64	12	17,56	AF-6-064	10	25,47
76	3"	2 1/2"	R-76	10	18,54	AF-6-076	8	26,99
80	3 1/8"	-						
89	3 1/2"	3"	R-89	8	21,26	AF-6-089	8	30,37
102	-	3 1/2"						
114	4 1/2"	4"	R-114	8	29,47	AF-6-114	6	55,60
140	-	5"	R-140	6	32,03	AF-6-140	4	58,90
160	-	-	R-160	6	42,75	AF-6-160	4	78,50
168	-	6"	R-168	6	45,73	AF-6-168	4	89,90

Reglamento RITE Apéndice 03.1 Aire Acondicionado			Espesor nominal 19 mm. (Equivalente a 20 mm. de RITE Ap. 03.1)
Modelo	Mts Cartón	PVP ml	
M-10	98	3,61	
M-12	88	4,20	
M-15	78	4,69	
M-18	72	5,14	
M-22	64	5,63	
M-25	50	6,24	
M-28	48	6,87	
M-35	36	7,66	Espesor nominal 27 mm. (Equivalente a 30mm. de RITE Ap. 03.1)
R-42	22	11,84	
R-48	18	12,91	
R-54	16	14,77	
R-60	12	16,09	
R-64	12	17,56	Espesor nominal 36 mm. (Equivalente a 40mm. de RITE Ap. 03.1)
R-76	10	18,54	
R-89	8	21,26	
AF 36-102	6	33,61	
AF 36-114	6	37,18	
AF 36-140	4	39,30	
AF 36-160	4	52,50	
AF 36-168	4	55,13	

Plancha en hoja y rollo Armaflex AF

Medida hoja	Contenido		Espesor	Modelo Estandar	PVP m ²	Modelo Autoadhesiva	PVP m ²
	m ²	Planchas					
2 m x 0,5 m	36	36	3 mm.	B-99*	-		
2 m x 0,5 m	18	18	6 mm.	D-99	17,11		
2 m x 0,5 m	13	13	10 mm.	F-99	25,67	F-99-A	31,38
2 m x 0,5 m	9	9	13 mm.	H-99	32,76	H-99-A	39,03
2 m x 0,5 m	7	7	19 mm.	M-99	48,41	M-99-A	55,67
2 m x 0,5 m	5	5	25 mm.	R-99	55,17	R-99-A	63,59
2 m x 0,5 m	4	4	32 mm.	T-99	71,67	T-99-A	78,84
2 m x 0,5 m	3	3	50 mm.	V-99	105,26		
Medida rollo ancho 1 m	Contenido m ²		Espesor	Modelo Estandar	PVP m ²	Modelo Autoadhesiva	PVP m ²
15 m x 1 m	15						
10 m x 1 m	10		10 mm.	F-99/E	25,67	AF-F-99/EA	31,38
8 m x 1 m	8		13 mm.	H-99/E	32,76	AF-H-99/EA	39,03
6 m x 1 m	6		19 mm.	M-99/E	48,41	AF-M-99/EA	55,67
4 m x 1 m	4		25 mm.	R-99/E	55,17	AF-R-99/EA	63,59
3 m x 1 m	3		32 mm.	T-99/E	71,67	AF-T-99/EA	78,84
5 m x 1 m	5		36 mm.	U-99/E	80,58		
5 m x 1 m	5		50 mm.	V-99/E	105,26		

Rollo cinta autoadhesiva Armaflex AF

Largo	Ancho	Espesor	Rollos/Cartón	PVP Rollo
15 m	50 mm.	3 mm.	12,00	26,74
30 m	50 mm.	3 mm.	10,00	46,80

"M" Espesor Nominal Creciente (ENV) 19,0-26,0 mm

Coquilla 2 mts

Ø Ext. tubo mm	Tubo Cobre	Tubo Hierro	Modelo	Mts. Cartón	PVP ml.
10	3/8"	1/8"	M-10	98	3,61
12	1/2"		M-12	88	4,20
15	5/8"	1/4"	M-15	78	4,69
18	3/4"	3/8"	M-18	72	5,14
22	7/8"	1/2"	M-22	64	5,63
25	1"		M-25	50	6,24
28	1 1/8"	3/4"	M-28	48	6,87
35	1 3/8"	1"	M-35	36	7,66
42	1 5/8"	1 1/4"	M-42	32	8,56
48	-	1 1/2"	M-48	24	10,03
54	2 1/8"	-	M-54	24	10,85
60	-	2"	M-60	18	11,94
64	2 5/8"	-	M-64	18	13,13
76	3"	2 1/2"	M-76	12	15,17
80	3 1/8"	-	M-80	12	15,63
89	3 1/2"	3"	M-89	12	17,39
102	-	3 1/2"	M-102	12	21,08
114	4 1/2"	4"	M-114	8	23,41
140	-	5"	M-140	8	26,14
160	-	-	M-160	8	34,16
168	-	6"	M-168	8	35,86